

## Refine Search

### Search Results -

Terms	Documents
L1 and L30	10

Database:

US Pre-Grant Publication Full-Text Database  
US Patents Full-Text Database  
US OCR Full-Text Database  
EPO Abstracts Database  
JPO Abstracts Database  
Derwent World Patents Index  
IBM Technical Disclosure Bulletins

Search:

L31

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Saturday, September 18, 2004 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L31</u>	l1 and L30	10	<u>L31</u>
<u>L30</u>	l13 and L29	9822	<u>L30</u>
<u>L29</u>	autonomous	31286	<u>L29</u>
<u>L28</u>	l20 and L27	2	<u>L28</u>
<u>L27</u>	l8 and L26	181	<u>L27</u>
<u>L26</u>	l1 and l13	484	<u>L26</u>
<u>L25</u>	l23 and L24	5	<u>L25</u>
<u>L24</u>	failsafe	6967	<u>L24</u>
<u>L23</u>	l19 and L22	133	<u>L23</u>
<u>L22</u>	command	530312	<u>L22</u>
<u>L21</u>	l19 and L20	0	<u>L21</u>
<u>L20</u>	actuator adj command	907	<u>L20</u>
<u>L19</u>	l10 and L18	169	<u>L19</u>
<u>L18</u>	l6 and L17	169	<u>L18</u>

<u>L17</u>	l4 and L16	171	<u>L17</u>
<u>L16</u>	l8 and L15	237	<u>L16</u>
<u>L15</u>	l10 and L14	348	<u>L15</u>
<u>L14</u>	l12 and L13	541918	<u>L14</u>
<u>L13</u>	vehicle or automobile	2049945	<u>L13</u>
<u>L12</u>	drive by wire	4536353	<u>L12</u>
<u>L11</u>	l9 and L10	1	<u>L11</u>
<u>L10</u>	transmi\$ adj wireless\$2	2814	<u>L10</u>
<u>L9</u>	l7 and L8	35	<u>L9</u>
<u>L8</u>	fail\$ or error or fault	1992907	<u>L8</u>
<u>L7</u>	l5 and L6	40	<u>L7</u>
<u>L6</u>	communicat\$	2291125	<u>L6</u>
<u>L5</u>	l1 and L4	51	<u>L5</u>
<u>L4</u>	wireless and wire\$1	63761	<u>L4</u>
<u>L3</u>	l1 and L2	0	<u>L3</u>
<u>L2</u>	wireless and wireline	6581	<u>L2</u>
<u>L1</u>	drive adj wire	3540	<u>L1</u>

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Terms	Documents
L20 and L27	2

Database:

US Pre-Grant Publication Full-Text Database  
US Patents Full-Text Database  
US OCR Full-Text Database  
EPO Abstracts Database  
JPO Abstracts Database  
Derwent World Patents Index  
IBM Technical Disclosure Bulletins

Search:

L28

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Saturday, September 18, 2004 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L28</u>	l20 and L27	2	<u>L28</u>
<u>L27</u>	l8 and L26	181	<u>L27</u>
<u>L26</u>	l1 and l13	484	<u>L26</u>
<u>L25</u>	l23 and L24	5	<u>L25</u>
<u>L24</u>	failsafe	6967	<u>L24</u>
<u>L23</u>	l19 and L22	133	<u>L23</u>
<u>L22</u>	command	530312	<u>L22</u>
<u>L21</u>	l19 and L20	0	<u>L21</u>
<u>L20</u>	actuator adj command	907	<u>L20</u>
<u>L19</u>	l10 and L18	169	<u>L19</u>
<u>L18</u>	l6 and L17	169	<u>L18</u>
<u>L17</u>	l4 and L16	171	<u>L17</u>
<u>L16</u>	l8 and L15	237	<u>L16</u>
<u>L15</u>	l10 and L14	348	<u>L15</u>

<u>L14</u>	l12 and L13	541918	<u>L14</u>
<u>L13</u>	vehicle or automobile	2049945	<u>L13</u>
<u>L12</u>	drive by wire	4536353	<u>L12</u>
<u>L11</u>	l9 and L10	1	<u>L11</u>
<u>L10</u>	transmi\$ adj wireless\$2	2814	<u>L10</u>
<u>L9</u>	l7 and L8	35	<u>L9</u>
<u>L8</u>	fail\$ or error or fault	1992907	<u>L8</u>
<u>L7</u>	l5 and L6	40	<u>L7</u>
<u>L6</u>	communicat\$	2291125	<u>L6</u>
<u>L5</u>	l1 and L4	51	<u>L5</u>
<u>L4</u>	wireless and wire\$1	63761	<u>L4</u>
<u>L3</u>	l1 and L2	0	<u>L3</u>
<u>L2</u>	wireless and wireline	6581	<u>L2</u>
<u>L1</u>	drive adj wire	3540	<u>L1</u>

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Terms	Documents
L23 and L24	5

Database:

US Pre-Grant Publication Full-Text Database  
US Patents Full-Text Database  
US OCR Full-Text Database  
EPO Abstracts Database  
JPO Abstracts Database  
Derwent World Patents Index  
IBM Technical Disclosure Bulletins

Search:

L25

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Saturday, September 18, 2004 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L25</u>	l23 and L24	5	<u>L25</u>
<u>L24</u>	failsafe	6967	<u>L24</u>
<u>L23</u>	l19 and L22	133	<u>L23</u>
<u>L22</u>	command	530312	<u>L22</u>
<u>L21</u>	l19 and L20	0	<u>L21</u>
<u>L20</u>	actuator adj command	907	<u>L20</u>
<u>L19</u>	l10 and L18	169	<u>L19</u>
<u>L18</u>	l6 and L17	169	<u>L18</u>
<u>L17</u>	l4 and L16	171	<u>L17</u>
<u>L16</u>	l8 and L15	237	<u>L16</u>
<u>L15</u>	l10 and L14	348	<u>L15</u>
<u>L14</u>	l12 and L13	541918	<u>L14</u>
<u>L13</u>	vehicle or automobile	2049945	<u>L13</u>
<u>L12</u>	drive by wire	4536353	<u>L12</u>

<u>L11</u>	l9 and L10	1	<u>L11</u>
<u>L10</u>	transmi\$ adj wireless\$2	2814	<u>L10</u>
<u>L9</u>	l7 and L8	35	<u>L9</u>
<u>L8</u>	fail\$ or error or fault	1992907	<u>L8</u>
<u>L7</u>	l5 and L6	40	<u>L7</u>
<u>L6</u>	communicat\$	2291125	<u>L6</u>
<u>L5</u>	l1 and L4	51	<u>L5</u>
<u>L4</u>	wireless and wire\$1	63761	<u>L4</u>
<u>L3</u>	l1 and L2	0	<u>L3</u>
<u>L2</u>	wireless and wireline	6581	<u>L2</u>
<u>L1</u>	drive adj wire	3540	<u>L1</u>

END OF SEARCH HISTORY